

Medicaid Managed Care Quality Measures SFY 2014

The Ohio Department of Medicaid (ODM) established Quality Measures and Standards to evaluate Managed Care Plan (MCP) performance in priority areas (e.g., care coordination, evidence-based treatment, and person and family-centered care). The selected measures align with the ODM Quality Strategy. All of the measures were derived from national measurement sets (e.g., HEDIS, AHRQ) and/or managed care industry data.

Minimum Performance Standards were established for nineteen measures. For these measures, failure to meet the Minimum Performance Standard resulted in the assessment of a noncompliance sanction.

MCPs were evaluated on each measure using statewide results that included all regions in which the MCP had membership. Results for each measure were calculated per MCP and included all of the MCP's Ohio Medicaid members who met the criteria specified by the methodology for the given measure. MCP performance was assessed using ODM calculated performance measurement data for the CHIPRA measures, NCQA calculated summary rates for the HEDIS/CAHPS survey measures, and MCP self-reported, audited HEDIS data for the NCQA HEDIS measures. The ODM methodology for the CHIPRA measures is posted to the *Medicaid Managed Care Program* page of the ODM website. The HEDIS measures and HEDIS/CAHPS survey measures were calculated in accordance with *NCQA's Volume 2: Technical Specifications* and *NCQA's Volume 3: Specifications for Survey Measures*, respectively. The previous calendar year is the standard measurement year for HEDIS data.

Performance Summary

At a statewide level, the Minimum Performance Standard was met for 15 of the 19 measures. All plans were noncompliant on at least one measure resulting in sanctions ranging from \$770,000 to \$3,330,000.

Ohio Department of Medicaid

MCP Self-Reported Audited HEDIS Results

Measure ID	Element ID	Measure	Sheet Name	Method
AAP	ratetot	Adults' Access to Preventive/Ambulatory Health Services, Total	AAP_ratetot	Administrative
ADD	rateinit	Follow-Up Care for Children Prescribed ADHD Medication, Initiation Phase	ADD_rateinit	Administrative
ASM	ratetot	Use of Appropriate Medications for People with Asthma, Total	ASM_ratetot	Administrative
AWC	rate	Adolescent Well-Care Visits	AWC_rate	Hybrid
CAP	rate1224	Children and Adolescents' Access to Primary Care Practitioner, 12-24 Months	CAP_rate1224	Administrative
CAP	rate256	Children and Adolescents' Access to Primary Care Practitioners, 25 Months-6 Years	CAP_rate256	Administrative
CAP	rate711	Children and Adolescents' Access to Primary Care Practitioners, 7-11 Years	CAP_rate711	Administrative
CAP	rate1219	Children and Adolescents' Access to Primary Care Practitioners, 12-19 Years	CAP_rate1219	Administrative
CBP	ratetot	Controlling High Blood Pressure	CBP_ratetot	Hybrid
CDC	rateade	Comprehensive Diabetes Care, HbA1c Adequate Control (<8.0%)	CDC_rateade	Hybrid
CDC	ratebp90	Comprehensive Diabetes Care, Blood Pressure Control (<140/90 mm Hg)	CDC_ratebp90	Hybrid
CDC	ratelpp	Comprehensive Diabetes Care, LDL-C Screening	CDC_ratelpp	Hybrid
CDC	rateeye	Comprehensive Diabetes Care, Eye Exam (Retinal) Performed	CDC_rateeye	Hybrid
CMC	ratescr	Cholesterol Management for Patients with Cardiovascular Conditions, LDL-C Screening	CMC_ratescr	Hybrid
CMC	rate100	Cholesterol Management for Patients with Cardiovascular Conditions, LDL-C Control < 100 mg/dL	CMC_rate100	Hybrid
FPC	rate_81	Frequency of Ongoing Prenatal Care, ≥81 Percent	FPC_rate_81	Hybrid
FUH	rate7	Follow-Up After Hospitalization for Mental Illness, 7-Day Follow-Up	FUH_rate7	Administrative
IET	rengtot	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment, Engagement of AOD Treatment, Total	IET_rengtot	Administrative
MPTA	anpptot	Mental Health Utilization, Any Service	MPTA_anpptot	Administrative
MPTA	inpptot	Mental Health Utilization, Inpatient	MPTA_inpptot	Administrative
MPTA	dnpptot	Mental Health Utilization, Intensive Outpatient or Partial Hospitalization	MPTA_dnpptot	Administrative
MPTA	ampptot	Mental Health Utilization, Outpatient or ED	MPTA_ampptot	Administrative
PBH	rate	Persistence of Beta Blocker Treatment after a Heart Attack	PBH_rate	Administrative
PPC	ratetime	Prenatal and Postpartum Care, Timeliness of Prenatal Care	PPC_ratetime	Hybrid
PPC	ratepost	Prenatal and Postpartum Care, Postpartum Care	PPC_ratepost	Hybrid
RHP	adult	Adult Rating of Health Plan (CAHPS Health Plan Survey)	RHP_adult	Survey
RHP	child	General Child Rating of Health Plan (CAHPS Health Plan Survey)	RHP_child	Survey
URI	rate	Appropriate Treatment for Children with Upper Respiratory Infection	URI_rate	Administrative
W15	rate6	Well-Child Visits First 15 Months of Life, Six or More Visits	W15_rate6	Hybrid
W34	rate	Well-Child Visits in the Third, Fourth, Fifth, and Sixth Year of Life	W34_rate	Hybrid

Ohio Department of Medicaid MCP Self-Reported Audited HEDIS Results

Ranking	Description
<P10	Below the national HEDIS 2013 Medicaid 10th percentile
P10-P25	On or above the national HEDIS 2013 Medicaid 10th percentile and below 25th percentile
P25-P50	On or above the national HEDIS 2013 Medicaid 25th percentile and below 50th percentile
P50-P75	On or above the national HEDIS 2013 Medicaid 50th percentile and below 75th percentile
P75-P90	On or above the national HEDIS 2013 Medicaid 75th percentile and below 90th percentile
≥P90	On or above the national HEDIS 2013 Medicaid 90th percentile
NA	NA indicates that the MCP followed the specifications for producing a reportable denominator, but the denominator was too small (<30) to report a valid rate, resulting in a Not Applicable (NA) audit designation.
NB	Benefit Not Offered. The MCP did not offer the health benefit required by the measure.
NR	Not Reportable. The MCP calculated the measure but the rate was materially biased, or the MCP chose not to report the measure or was not required to report the measure.

Note: HEDIS 2013 benchmarks were developed by NCQA using measurement year 2012 data.

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

**Adults' Access to Preventive/Ambulatory Health Services
Methodology—Administrative
Measurement Period—CY 2013**

MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	82.5%	P25-P50
CareSource	85.9%	P50-P75
Molina	84.2%	P25-P50
Paramount	84.4%	P50-P75
UnitedHealthcare	85.3%	P50-P75
State wide Average	85.1%	P50-P75

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

**Follow-Up Care for Children Prescribed ADHD
Medication, Initiation Phase
Methodology—Administrative
Measurement Period—CY 2013**

MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	42.8%	P50-P75
CareSource	56.2%	>=P90
Molina	47.9%	P75-P90
Paramount	51.5%	P75-P90
UnitedHealthcare	41.4%	P50-P75
Statewide Average	52.3%	>=P90

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Use of Appropriate Medication for Asthma, Total Methodology—Administrative Measurement Period—CY 2013		
MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	86.5%	P50-P75
CareSource	83.0%	P25-P50
Molina	80.8%	P25-P50
Paramount	87.1%	P50-P75
UnitedHealthcare	79.6%	P10-P25
Statewide Average	83.1%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Adolescent Well-Care Visits Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	90.8%	9.2%	45.6%	P25-P50
CareSource	89.9%	10.1%	41.1%	P10-P25
Molina	88.5%	11.5%	40.2%	P10-P25
Paramount	81.0%	19.0%	51.2%	P50-P75
UnitedHealthcare	91.5%	8.5%	40.1%	P10-P25
Statewide Average	89.4%	10.6%	42.0%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

**Children and Adolescents' Access to Primary Care
Practitioners, 12–24 Months
Methodology—Administrative
Measurement Period—CY 2013**

MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	95.3%	P 10-P25
CareSource	96.3%	P25-P50
Molina	93.6%	P 10-P25
Paramount	96.3%	P25-P50
UnitedHealthcare	95.6%	P25-P50
Statewide Average	95.7%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

**Children and Adolescents' Access to Primary Care
Practitioners, 25 Months–6 Years
Methodology—Administrative
Measurement Period—CY 2013**

MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	85.5%	P10-P25
CareSource	86.2%	P10-P25
Molina	83.5%	P10-P25
Paramount	85.4%	P10-P25
UnitedHealthcare	87.5%	P25-P50
Statewide Average	85.7%	P10-P25

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

**Children and Adolescents' Access to Primary Care
Practitioners, 7–11 Years
Methodology—Administrative
Measurement Period—CY 2013**

MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	85.8%	P10-P25
CareSource	88.0%	P25-P50
Molina	83.9%	P10-P25
Paramount	85.6%	P10-P25
UnitedHealthcare	88.2%	P25-P50
Statewide Average	87.1%	P10-P25

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

**Children and Adolescents' Access to Primary Care
Practitioners, 12–19 Years
Methodology—Administrative
Measurement Period—CY 2013**

MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	86.4%	P25-P50
CareSource	87.3%	P25-P50
Molina	82.7%	P10-P25
Paramount	84.8%	P10-P25
UnitedHealthcare	88.5%	P25-P50
Statewide Average	86.6%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Controlling High Blood Pressure Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	0.0%	100.0%	39.4%	<P10
CareSource	0.0%	100.0%	46.2% ¹	P10-P25
Molina	0.0%	100.0%	59.7%	P50-P75
Paramount	0.0%	100.0%	64.0%	P75-P90
UnitedHealthcare	0.0%	100.0%	46.7%	P10-P25
Statewide Average	0.0%	100.0%	48.4%	P10-P25

¹ The MCP chose to submit rotated results for this measure to NCQA for HEDIS 2014 reporting. However, the rate reported above is the non-rotated HEDIS 2014 result.

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Comprehensive Diabetes Care, HbA1c Adequate Control (<8.0%) Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	22.8%	77.2%	33.2%	<P10
CareSource	19.2%	80.8%	34.7%	P10-P25
Molina	27.7%	72.3%	49.4%	P50-P75
Paramount	41.8%	58.2%	49.3%	P50-P75
UnitedHealthcare	0.7%	99.3%	32.6%	<P10
Statewide Average	20.1%	79.9%	37.4%	P10-P25

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Comprehensive Diabetes Care, Blood Pressure Control (<140/90 mm Hg) Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	12.2%	87.8%	52.8%	P10-P25
CareSource	0.0%	100.0%	56.4%	P25-P50
Molina	4.0%	96.0%	60.3%	P25-P50
Paramount	1.6%	98.4%	74.9%	>=P90
UnitedHealthcare	0.4%	99.6%	59.9%	P25-P50
Statewide Average	2.2%	97.8%	57.6%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Comprehensive Diabetes Care, LDL-C Screening Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	98.1%	1.9%	69.9%	P10-P25
CareSource	95.8%	4.2%	69.4%	P10-P25
Molina	98.6%	1.4%	76.2%	P25-P50
Paramount	97.0%	3.0%	64.2%	<P10
UnitedHealthcare	36.6%	63.4%	67.9%	P10-P25
Statewide Average	91.2%	8.8%	70.3%	P10-P25

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Comprehensive Diabetes Care, Eye Exam (Retinal) Performed Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	90.2%	9.8%	52.3%	P25-P50
CareSource	88.3%	11.7%	52.5%	P25-P50
Molina	81.5%	18.5%	65.8%	P75-P90
Paramount	75.2%	24.8%	58.3%	P50-P75
UnitedHealthcare	94.2%	5.8%	46.5%	P25-P50
Statewide Average	87.4%	12.6%	54.5%	P50-P75

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Cholesterol Management for Patients with Cardiovascular Conditions, LDL-C Screening Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	98.6%	1.4%	80.6%	P25-P50
CareSource	97.6%	2.4%	80.5%	P25-P50
Molina	98.9%	1.1%	80.7%	P25-P50
Paramount	94.1%	5.9%	65.4%	<P10
UnitedHealthcare	43.4%	56.6%	75.2%	P10-P25
Statewide Average	92.4%	7.6%	79.9%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Cholesterol Management for Patients with Cardiovascular Conditions , LDL-C Control < 100 mg/dL Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	18.2%	81.8%	30.6%	P10-P25
CareSource	22.4%	77.6%	32.6%	P10-P25
Molina	29.9%	70.1%	46.9%	P50-P75
Paramount	56.3%	43.8%	41.0%	P25-P50
UnitedHealthcare	11.1%	88.9%	28.5%	P10-P25
Statewide Average	22.6%	77.4%	34.9%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

**Follow-Up After Hospitalization for Mental Illness, 7-Day
Follow-Up
Methodology—Administrative
Measurement Period—CY 2013**

MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	52.2%	P50-P75
CareSource	54.5%	P50-P75
Molina	51.5%	P50-P75
Paramount	47.7%	P50-P75
UnitedHealthcare	39.9%	P25-P50
State wide Average	51.8%	P50-P75

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Frequency of Ongoing Prenatal Care, ≥81 Percent Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	90.7%	9.3%	67.4%	P50-P75
CareSource	82.9%	17.1%	68.4% ¹	P50-P75
Molina	87.8%	12.2%	72.5%	P50-P75
Paramount	83.5%	16.5%	78.7% ¹	P75-P90
UnitedHealthcare	86.5%	13.5%	68.8%	P50-P75
Statewide Average	86.4%	13.7%	69.6%	P50-P75

¹ The MCP chose to submit rotated results for this measure to NCQA for HEDIS 2014 reporting. However, the rate reported above is the non-rotated HEDIS 2014 result.

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Initiation and Engagement of Alcohol and Other Drug Dependence Treatment, Initiation of AOD Treatment, Total Methodology—Administrative Measurement Period—CY 2013		
MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	10.6%	P50-P75
CareSource	6.6%	P25-P50
Molina	9.3%	P25-P50
Paramount	13.5%	P50-P75
UnitedHealthcare	10.6%	P50-P75
Statewide Average	8.3%	P25-P50

Ohio Department of Medicaid MCP Self-Reported Audited HEDIS Results

Mental Health Utilization, Total Methodology—Administrative Measurement Period—CY 2013								
MCP	Any Service		Inpatient		Intensive outpatient or partial hospitalization		Outpatient or ED	
	Reported Rate	Ranking	Reported Rate	Ranking		Ranking	Reported Rate	Ranking
Buckeye	3.9%	<P10	0.9%	P50-P75	<0.1%	P10-P25	3.2%	<P10
CareSource	15.9%	P75-P90	0.9%	P50-P75	3.0%	>=P90	15.2%	P75-P90
Molina	4.3%	P10-P25	0.8%	P25-P50	NA	NA	3.8%	P10-P25
Paramount	4.0%	<P10	0.8%	P25-P50	<0.1%	P10-P25	3.5%	<P10
UnitedHealthcare	4.3%	P10-P25	0.9%	P50-P75	<0.1%	P10-P25	3.6%	<P10
Statewide Average	11.0%	P50-P75	0.9%	P50-P75	2.1%	>=P90	10.3%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Persistence of Beta Blocker Treatment after a Heart Attack		
Methodology—Administrative		
Measurement Period—CY 2013		
MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	90.1%	P75-P90
CareSource	93.8%	>=P90
Molina	86.3%	P50-P75
Paramount	NA	NA
UnitedHealthcare	83.8%	P50-P75
Statewide Average	89.9%	P75-P90

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Prenatal and Postpartum Care, Timeliness of Prenatal Care Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	94.6%	5.4%	82.5%	P25-P50
CareSource	92.4%	7.6%	86.1% ¹	P50-P75
Molina	94.8%	5.2%	85.5%	P25-P50
Paramount	90.8%	9.2%	89.9% ¹	P75-P90
UnitedHealthcare	91.4%	8.6%	86.9%	P50-P75
Statewide Average	92.9%	7.1%	86.0%	P50-P75

¹ The MCP chose to submit rotated results for this measure to NCQA for HEDIS 2014 reporting. However, the rate reported above is the non-rotated HEDIS 2014 result.

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Prenatal and Postpartum Care, Postpartum Care Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	80.2%	19.8%	63.6%	P25-P50
CareSource	89.7%	10.3%	64.0% ¹	P50-P75
Molina	79.4%	20.6%	56.6%	P10-P25
Paramount	82.2%	17.8%	71.6% ¹	P75-P90
UnitedHealthcare	82.1%	17.9%	59.0%	P25-P50
Statewide Average	82.8%	17.2%	63.0%	P25-P50

¹ The MCP chose to submit rotated results for this measure to NCQA for HEDIS 2014 reporting. However, the rate reported above is the non-rotated HEDIS 2014 result.

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

CAHPS Adult Rating of Health Plan—Overall Medicaid Measurement Period—CY 2013¹		
MCP	Overall Medicaid	
	Three-Point Mean	Ranking
Buckeye	2.479	P75-P90
CareSource	2.547	≥P90
Molina	2.433	P50-P75
Paramount	2.523	P75-P90
UnitedHealthcare	2.455	P50-P75
Statewide Average	2.490	P75-P90

¹ Results were calculated using CAHPS 2014 data.

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

**CAHPS Child Rating of Health Plan—Overall Medicaid
Measurement Period—CY 2013^{1,2}**

MCP	Three-Point Mean	Ranking
Buckeye	2.436	<P 10
CareSource	2.649	P75-P90
Molina	2.580	P50-P75
Paramount	2.684	≥P90
UnitedHealthcare	2.519	P25-P50
Statewide Average	2.573	P50-P75

¹ Results were calculated using CAHPS 2014 data.

² CareSource's results were derived from CareSource's 2014 Medicaid Child Survey data file. For the other four MCPs, results were derived from their 2014 Medicaid Child Survey -Children with Chronic

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

**Appropriate Treatment for Children with Upper Respiratory
Infection
Methodology—Administrative
Measurement Period—CY 2013**

MCP	Overall Medicaid	
	Reported Rate	Ranking
Buckeye	84.1%	P25-P50
CareSource	81.8%	P25-P50
Molina	82.9%	P25-P50
Paramount	79.9%	P10-P25
UnitedHealthcare	79.6%	P10-P25
Statewide Average	81.9%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Well-Child Visits First 15 Months of Life, Six or More Visits Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	95.1%	4.9%	57.2%	P25-P50
CareSource	91.5%	8.5%	60.3%	P25-P50
Molina	89.2%	10.8%	55.0%	P10-P25
Paramount	92.0%	8.0%	69.0%	P50-P75
UnitedHealthcare	83.6%	16.4%	65.0%	P25-P50
Statewide Average	91.0%	9.0%	60.1%	P25-P50

**Ohio Department of Medicaid
MCP Self-Reported Audited HEDIS Results**

Well-Child Visits in the Third, Fourth, Fifth, and Sixth Year of Life Methodology—Hybrid Measurement Period—CY 2013				
MCP	Overall Medicaid			
	Admin%	MRR%	Reported Rate	Ranking
Buckeye	99.0%	1.0%	66.2%	P10-P25
CareSource	96.3%	3.7%	71.5%	P25-P50
Molina	94.0%	6.0%	64.1%	P10-P25
Paramount	94.6%	5.4%	67.8%	P25-P50
UnitedHealthcare	94.2%	5.8%	63.6%	P10-P25
Statewide Average	95.9%	4.1%	69.0%	P25-P50

Percentage of Live Births Weighing Less than 2,500 grams			
Measurement Period - CY 2013			
Plan	Numerator	Denominator	Rate
Buckeye	458	5,140	8.9%
CareSource	2,542	26,880	9.5%
Molina	594	6,587	9.0%
Paramount	326	3,762	8.7%
UnitedHealthcare	321	3,449	9.3%
ALL MCPs	4,241	45,818	9.3%

Annual Number of Asthma Patients with at Least One Asthma-Related Emergency Room Visit			
Measurement Period - CY 2013			
Plan	Numerator	Denominator	Rate
Buckeye	1,336	10,536	12.7%
CareSource	7,883	63,598	12.4%
Molina	1,619	13,958	11.6%
Paramount	1,085	8,005	13.6%
UnitedHealthcare	1,000	8,245	12.1%
ALL MCPs	12,923	104,342	12.4%